



# TEST REPORT

**Report No.** ..... : WTF23F11253185A1R2C  
**Applicant** ..... : Mid Ocean Brands B.V.  
**Address** ..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,  
Kowloon, Hong Kong  
**Manufacturer** ..... : 111652  
**Sample Name** ..... : RPET backpack, RPET waist bag, Waist bag with pocket  
**Sample Model** ..... : MO6156, MO6213, KC5810  
**Test Requested** ..... : Refer to next page (s)  
**Test Conclusion** ..... : **Pass** (please refer to next pages for details)  
**Date of Receipt sample** ..... : 2023-11-28 & 2023-12-16 & 2024-09-19  
**Testing period** ..... : 2023-11-28 to 2023-12-04 & 2023-12-05 to 2023-12-07 &  
2023-12-16 to 2023-12-21 & 2024-09-19 to 2024-09-25  
**Date of Issue** ..... : 2024-09-25  
**Test Result** ..... : Refer to next page (s)  
**Note** ..... : 1. As specified by client, only test the designated sample.  
2. As per client's requirement, the test results of specimen  
No.1~No.58 are extracted from report  
No.WTF23F11253185A1R1C.

## Prepared By:

### Waltek Testing Group (Foshan) Co., Ltd.

Address: 2/F., Building 1 and No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China  
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of  
Waltek Testing Group (Foshan) Co., Ltd.

*Swing Liang*

Swing.Liang



WTF23F11253185A1R2C



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**Summary**

Item No.	Test Requested	Test Conclusion
1	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass
6	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass

**WALTEK**





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Sample photo:



1. MO6156



2. MO6213



3. KC5810



4. KC5810



5. MO6213



/



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**Test Results:****1) Lead (Pb)**

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.1+No.2+No.3	No.4+No.5+No.6	
Lead(Pb)	2	21*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.7+No.8+No.58	No.9+No.12+No.17	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.11+No.15	No.13	
Lead(Pb)	2	ND*	37	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.14	No.16+No.18+No.22	
Lead(Pb)	2	31	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.19	No.20	
Lead(Pb)	2	28	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.21+No.23+No.24	No.25+No.26+No.27	
Lead(Pb)	2	ND*	96*	500
Conclusion	--	Pass	Pass	--





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.28	No.29	
Lead(Pb)	2	ND	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.30+No.34+No.40	No.31+No.35+No.36	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.32	No.33	
Lead(Pb)	2	ND	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.37+No.41+No.45	No.38+No.39	
Lead(Pb)	2	ND*	ND*	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.42+No.50+No.54	No.43	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.44	No.46+No.47+No.51	
Lead(Pb)	2	ND	ND*	500
Conclusion	--	Pass	Pass	--



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.48	No.49	
Lead(Pb)	2	ND	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.52+No.53	No.55	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)			Limit (mg/kg)
		No.56	No.57	No.59	
Lead(Pb)	2	38	ND	ND	500
Conclusion	--	Pass	Pass	Pass	--

**Note:**

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**2) Cadmium (Cd)**

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.1+No.2+No.3	No.10+No.11+No.15
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.13	No.14
Cadmium(Cd)	2	ND	ND
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.21+No.23+No.24	No.30+No.34+No.40
Cadmium(Cd)	2	ND*	ND*
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.32	No.33
Cadmium(Cd)	2	ND	ND
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.42+No.50+No.54	No.43
Cadmium(Cd)	2	ND*	ND
Conclusion	--	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)	
		No.44	No.48
Cadmium(Cd)	2	ND	ND
Conclusion	--	Pass	Pass





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.49	No.56	No.57
Cadmium(Cd)	2	ND	ND	ND
Conclusion	--	Pass	Pass	Pass

**Note:**

- (1) mg/kg = milligram per kilogram  
(2) ND = Not Detected (lower than LOQ)  
(3) LOQ = Limit of quantitation  
(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

- (5) "\*" = Results are calculated by the minimum weight of mixed components.

# WALTEK





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**3) Phthalates**

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.1+No.2+No.3	No.10+No.11+No.15	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND*	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND*	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
<b>Conclusion</b>	--	<b>Pass</b>	<b>Pass</b>	--

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.21+No.23+No.24	No.30+No.34+No.40	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND*	
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND*	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
<b>Conclusion</b>	--	<b>Pass</b>	<b>Pass</b>	--



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.42+No.50+No.54	No.59	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND	
Dibutyl phthalate (DBP)	0.005	ND*	ND	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	
Conclusion	--	Pass	Pass	--

**Note:**

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DINP= Di-isononyl phthalate

DNOP= Di-n-octyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "&lt;" = less than

(5) The above limit was quoted according to Annex XVII Items 51 &amp; 52 of the REACH Regulation (EC) No.

1907/2006 &amp; Amendment No. 552/2009 &amp; No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "\*" = Results are calculated by the minimum weight of mixed components.





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**4) AZO**

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.4+No.5+No.6	No.7+No.8+No.58
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.9+No.12+No.17	No.16+No.18+No.22
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.25+No.26+No.27	No.31+No.35+No.36
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.37+No.41+No.45	No.46+No.47+No.51
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
Conclusion		--	--	Pass	Pass





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.55	No.59
1	4-Aminobiphenyl	92-67-1	30	ND	ND
2	Benzidine	92-87-5	30	ND	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND	ND
4	2-Naphthylamine	91-59-8	30	ND	ND
5	o-Aminoazotoluene	97-56-3	30	ND	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND
7	p-Chloroaniline	106-47-8	30	ND	ND
8	2,4-diaminoanisol	615-05-4	30	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND
14	p-cresinin	120-71-8	30	ND	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND
16	4,4'-Oxydianiline	101-80-4	30	ND	ND
17	4,4'-Thiodianiline	139-65-1	30	ND	ND
18	o-Toluidine	95-53-4	30	ND	ND
19	2,4-Toluyldiamine	95-80-7	30	ND	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND
21	o-anisidine	90-04-0	30	ND	ND
22	4-aminoazobenzene	60-09-3	30	ND	ND
23	2,4-Xylidin	95-68-1	30	ND	ND
24	2,6-Xylidin	87-62-7	30	ND	ND
Conclusion		--	--	Pass	Pass

**Note:**

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- “\*” = Results are calculated by the minimum weight of mixed components.



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**5) Colour Fastness to Rubbing**

<b>Colour Fastness to Rubbing</b>					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		<b>No.4</b>	<b>No.7+No.8</b>	<b>No.9</b>	<b>Client's Limit</b>
Length	Dry staining	4-5	4-5*	4-5	2-3
	Wet staining	4-5	4-5*	4-5	2-3
Width	Dry staining	--	--	4-5	2-3
	Wet staining	--	--	4-5	2-3
<b>Conclusion</b>		<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>--</b>

<b>Colour Fastness to Rubbing</b>					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		<b>No.12</b>	<b>No.16</b>	<b>No.17</b>	<b>Client's Limit</b>
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	2-3
	Wet staining	--	--	--	2-3
<b>Conclusion</b>		<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>--</b>

<b>Colour Fastness to Rubbing</b>					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		<b>No.18</b>	<b>No.22</b>	<b>No.25</b>	<b>Client's Limit</b>
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	4-5	--	4-5	2-3
	Wet staining	4-5	--	4-5	2-3
<b>Conclusion</b>		<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>--</b>

<b>Colour Fastness to Rubbing</b>					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		<b>No.26</b>	<b>No.27</b>	<b>No.31</b>	<b>Client's Limit</b>
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	2-3
	Wet staining	--	--	--	2-3
<b>Conclusion</b>		<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>--</b>





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.35	No.36	No.37	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	4-5	2-3
	Wet staining	--	--	4-5	2-3
Conclusion		Pass	Pass	Pass	--

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.41	No.45	No.46	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	2-3
	Wet staining	--	--	--	2-3
Conclusion		Pass	Pass	Pass	--

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.47	No.51	No.55	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	4-5	--	--	2-3
	Wet staining	4-5	--	--	2-3
Conclusion		Pass	Pass	Pass	--

Colour Fastness to Rubbing				
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)				
		No.58	No.59	Client's Limit
Length	Dry staining	4-5	4-5	2-3
	Wet staining	4-5	4-5	2-3
Width	Dry staining	4-5	4-5	2-3
	Wet staining	4-5	4-5	2-3
Conclusion		Pass	Pass	--

**Note:**

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) “\*” = As per applicant's requirement, the testing was conducted based on mixed components, the test result is for reference only.



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**6) Polycyclic Aromatic Hydrocarbons (PAHs)**

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit	Results	LOQ	Limit
		No.1+No.2+No.3		
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	--	Pass	--	--

Test Items	Unit	Results	LOQ	Limit
		No.11+No.15		
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	--	Pass	--	--





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Items	Unit	Results	LOQ	Limit
		No.21+No.23+ No.24		
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	--	Pass	--	--

Test Items	Unit	Results	LOQ	Limit
		No.30+No.34+ No.40		
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	--	Pass	--	--



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Test Items	Unit	Results	LOQ	Limit
		No.42+No.50+ No.54		
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	--	Pass	--	--

**Note:**

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

**Description for Specimen:**

Specimen No.	Specimen Description
1	Black plastic handle
2	Black plastic buckle
3	Black plastic buckle
4	Black elastic band
5	Silvery-black fabric sheet
6	Silvery fabric sheet
7	Black elastic band
8	Black net fabric
9	Black lining
10	White sponge block
11	Black plastic buckle
12	Black webbing
13	Silvery metal zipper head with black surface
14	Silvery metal zipper handle with black surface
15	Black plastic zipper tooth
16	Black zipper fabric
17	Black fabric rim
18	Black lining
19	Silvery metal zipper head
20	Silvery metal zipper handle
21	Black plastic zipper tooth
22	Black zipper fabric
23	Black plastic buckle
24	Black plastic buckle
25	Black webbing
26	Black fabric rim
27	Black zipper fabric
28	Silvery metal zipper head



Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Specimen No.	Specimen Description
29	Silvery metal zipper handle
30	Black plastic zipper tooth
31	Blue webbing
32	Silvery metal zipper head with blue surface
33	Silvery metal zipper handle with blue surface
34	Blue plastic zipper tooth
35	Blue zipper fabric
36	Blue fabric rim
37	Blue main fabric
38	Blue plastic loop(VELCRO)
39	Blue plastic hook(VELCRO)
40	Transparent plastic sheet
41	Blue zipper fabric
42	Blue plastic zipper tooth
43	Silvery metal zipper head with blue surface
44	Silvery metal zipper handle with blue surface
45	Black webbing
46	Black fabric rim
47	Black main fabric
48	Silvery metal zipper head with black surface
49	Silvery metal zipper handle with black surface
50	Black plastic zipper tooth
51	Black zipper fabric
52	Black plastic loop(VELCRO)
53	Black plastic hook(VELCRO)
54	Black plastic zipper tooth
55	Black zipper fabric
56	Silvery metal zipper head with black surface
57	Silvery metal zipper handle with black surface






Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Specimen No.	Specimen Description
58	Black main fabric
59	Blue main fabric

Photograph of parts tested:







Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ







Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ





Report No.: WTF23F11253185A1R2C

Job No.: FSW202311280044CJ

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

# WALTEK